



CERONE SL480 4X5L BOT UA

Version 4 /
10200001937

1/10
Revision Date: 20.09.2017
Print Date: 14.11.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name CERONE SL480 4X5L BOT UA
Product code (UVP) 05927242

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Growth regulator, Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG
Kaiser-Wilhelm-Allee 1
51373 Leverkusen
Germany

Telefax +49(0)2173-38-7394

Responsible Department Substance Classification & Registration
+49(0)2173-38-3409 (during business hours only)
Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. Global Incident Response Hotline (24h)
+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Corrosive to metals: Category 1
H290 May be corrosive to metals.

Serious eye damage: Category 1
H318 Causes serious eye damage.

Chronic aquatic toxicity: Category 2
H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Ethephon

**CERONE SL480 4X5L BOT UA**Version 4 /
1020000019372/10
Revision Date: 20.09.2017
Print Date: 14.11.2017**Signal word:** Danger**Hazard statements**

H290 May be corrosive to metals.
 H318 Causes serious eye damage.
 H411 Toxic to aquatic life with long lasting effects.
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P234 Keep only in original container.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor/ physician.
 P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**Soluble concentrate (SL)
Ethephon 480 g/l**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Ethephon	16672-87-0 240-718-3	Aquatic Chronic 2, H411 Skin Corr. 1C, H314 Acute Tox. 4, H332 Acute Tox. 4, H302 Acute Tox. 3, H311	40,00
2-Butoxyethanol	111-76-2 203-905-0	Eye Irrit. 2, H319 Acute Tox. 4, H302 Skin Irrit. 2, H315 Acute Tox. 4, H332 Acute Tox. 4, H312	> 1,00 – < 25,00

Further informationSubstances for which there are Community workplace exposure limits:
2-Butoxyethanol (111-76-2)



CERONE SL480 4X5L BOT UA

Version 4 /
102000001937

3/10
Revision Date: 20.09.2017
Print Date: 14.11.2017

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest.
Skin contact	Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Keep at rest. Rinse mouth. Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Local:, Burns on skin and mucosal tissues Systemic:, Gastro-intestinal irritation, This product causes reversible cholinesterase inhibition without long term effects.
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Risks	Must NOT be confused with organophosphorus compounds!
Treatment	Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is no specific antidote. Contraindication: atropine.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Water spray, Foam, Carbon dioxide (CO ₂), Dry powder
Unsuitable	High volume water jet

5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Carbon monoxide (CO), Nitrogen oxides (NO _x), Oxides of phosphorus, Hydrogen chloride (HCl)
--	--

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire, wear self-contained breathing apparatus.
Further information	Do not allow run-off from fire fighting to enter drains or water courses.



CERONE SL480 4X5L BOT UA

Version 4 /
10200001937

4/10
Revision Date: 20.09.2017
Print Date: 14.11.2017

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Keep people away from and upwind of spill/leak. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Recover the product by pumping, suction or absorption using a dry and inert absorbent clay. Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Check also for any local site procedures.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Remove contaminated clothing immediately and dispose of safely. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Store in a place accessible by authorized persons only. Protect from freezing. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Ethephon	16672-87-0	1,4 mg/m ³ (TWA)		OES BCS*

**CERONE SL480 4X5L BOT UA**Version 4 /
102000019375/10
Revision Date: 20.09.2017
Print Date: 14.11.2017

2-Butoxyethanol	111-76-2	98 mg/m ³ /20 ppm (TWA)	12 2009	EU ELV
2-Butoxyethanol	111-76-2	246 mg/m ³ /50 ppm (STEL)	12 2009	EU ELV
2-Butoxyethanol	111-76-2	246 mg/m ³ /50 ppm (STEL)	2014	EU SCOELS
2-Butoxyethanol	111-76-2	98 mg/m ³ /20 ppm (TWA)	2014	EU SCOELS

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent) and faceshield (conforming to EN166, Field of Use = 3 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.
If there is a risk of significant exposure, consider a higher protective type suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

General protective measures

Avoid contact with skin and eyes.
Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.



CERONE SL480 4X5L BOT UA

Version 4 /
10200001937

6/10
Revision Date: 20.09.2017
Print Date: 14.11.2017

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	Liquid
Colour	colourless to brown
pH	<= 1,8 at 1 % (23 °C) (deionized water)
Boiling point/boiling range	100 °C
Flash point	Not relevant; aqueous solution
Ignition temperature	> 600 °C
Density	ca. 1,20 g/cm ³ at 20 °C
Water solubility	miscible
Partition coefficient: n-octanol/water	Ethephon: log Pow: -1,89
Viscosity, kinematic	2,52 mm ² /s at 40 °C
Surface tension	37,9 mN/m at 20 °C Determined as a 1% solution in distilled water.
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition	250 - 400 °C The value mentioned relates to the active ingredient.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions. Corrodes metals in the presence of water or moisture. Risk of ethylene emission in case of increasing pH.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Metals
10.6 Hazardous decomposition products	Gaseous hydrocarbons that may form explosive mixtures with air. Hydrogen chloride formation.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects



CERONE SL480 4X5L BOT UA

Version 4 /
10200001937

7/10
Revision Date: 20.09.2017
Print Date: 14.11.2017

Acute oral toxicity	LD50 (Rat) > 2.000 mg/kg
Acute inhalation toxicity	Not relevant During intended and foreseen applications, no respirable aerosol is formed.
Acute dermal toxicity	LD50 (Rat) > 2.000 mg/kg ATE (Mix) (Rabbit) > 2.000 mg/kg
Skin irritation	No skin irritation (Rabbit)
Eye irritation	Severe eye irritation. (Rabbit)
Sensitisation	Non-sensitizing.

Assessment STOT Specific target organ toxicity – single exposure

Ethephon: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Ethephon did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Ethephon was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Ethephon was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Ethephon did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Ethephon did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) > 100 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	(Daphnia magna (Water flea)) > 721 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient.
Toxicity to aquatic plants	EC50 (Desmodesmus subspicatus (green algae)) 98 mg/l Exposure time: 72 h EC50 (Lemna gibba (gibbous duckweed)) > 1,6 mg/l Exposure time: 14 d The value mentioned relates to the active ingredient ethephon. EC10 (Lemna gibba (gibbous duckweed)) 0,21 mg/l The value mentioned relates to the active ingredient ethephon.



CERONE SL480 4X5L BOT UA

Version 4 /
102000001937

8/10
Revision Date: 20.09.2017
Print Date: 14.11.2017

12.2 Persistence and degradability

Biodegradability Ethephon:
Not rapidly biodegradable

Koc Ethephon: Koc: 2540

12.3 Bioaccumulative potential

Bioaccumulation Ethephon:
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Ethephon: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Ethephon: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging Not completely emptied packagings should be disposed of as hazardous waste.

Waste key for the unused product **02 01 08*** agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	3265
14.2 Proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (ETHEPHON SOLUTION)
14.3 Transport hazard class(es)	8
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	80
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG



CERONE SL480 4X5L BOT UA

Version 4 /
10200001937

9/10
Revision Date: 20.09.2017
Print Date: 14.11.2017

14.1 UN number **3265**
14.2 Proper shipping name **CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (ETHEPHON SOLUTION)**
14.3 Transport hazard class(es) **8**
14.4 Packing group **III**
14.5 Marine pollutant **YES**
Segregation group according to 5.4.1.5.11.1 **IMDG SEGREGATION GROUP 1 - ACIDS**

IATA

14.1 UN number **3265**
14.2 Proper shipping name **CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (ETHEPHON SOLUTION)**
14.3 Transport hazard class(es) **8**
14.4 Packing group **III**
14.5 Environm. Hazardous Mark **YES**

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical safety assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR European Agreement concerning the International Carriage of Dangerous Goods by

**CERONE SL480 4X5L BOT UA**Version 4 /
1020000193710/10
Revision Date: 20.09.2017
Print Date: 14.11.2017

	Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: Section 7: Handling and Storage. Section 8: Exposure Controls / Personal Protection. Section 11: Toxicological Information.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.