

1/11

# FOX SC325 4X5L BOT UA

Version 5 / EU Revision Date: 17.01.2019 102000010777 Print Date: 05.02.2019

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name FOX SC325 4X5L BOT UA

**Product code (UVP)** 05907454, 81684685

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Fungicide

1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer AG

Kaiser-Wilhelm-Allee 1 51373 Leverkusen

Germany

**Telefax** +49(0)2173-38-7394

**Responsible Department** Substance Classification & Registration

+49(0)2173-38-3409 (during business hours only)

Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

**Emergency telephone no.** Global Incident Response Hotline (24h)

+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Trifloxystrobin
- Prothioconazole



2/11

# FOX SC325 4X5L BOT UA

 Version 5 / EU
 Revision Date: 17.01.2019

 102000010777
 Print Date: 05.02.2019





# Signal word: Warning

# **Hazard statements**

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

# **Precautionary statements**

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P501 Dispose of contents/container in accordance with local regulation.

### 2.3 Other hazards

No other hazards known.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.2 Mixtures

### **Chemical nature**

Suspension concentrate (=flowable concentrate)(SC) Trifloxystrobin/Prothioconazole 150:175 g/l

# **Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Trifloxystrobin	141517-21-7	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	13,7
Prothioconazole	178928-70-6	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	16,0
Fatty alcohol polyglycol ether	61791-13-7	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412	> 5 - < 10
2-[2-(1-chlorocyclopropyl)- 2-hydroxy-3- phenylpropyl]-2,4-dihydro- 1,2,4-triazole-3-thione		Skin Sens. 1, H317	> 0,1 - < 1
1,2-Benzisothiazol-3(2H)- one	2634-33-5 220-120-9 01-2120761540-60-xxxx	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	>= 0,005 - < 0,05



3/11

# FOX SC325 4X5L BOT UA

Version 5 / EU

102000010777

Revision Date: 17.01.2019
Print Date: 05.02.2019

reaction mass of 5-chloro- 2- methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3- one (3:1)	55965-84-9	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	>= 0.00015 - < 0.0015
1,2-Propanediol	57-55-6 200-338-0 01-2119456809-23-xxxx	Not classified	> 1,00

### **Further information**

Trifloxystrobin	141517-21-7	M-Factor: 100 (acute)
Prothioconazole	178928-70-6	M-Factor: 10 (acute)
		M-Factor: 10 (chronic)
1,2-Benzisothiazol- 3(2H)-one	2634-33-5	M-Factor: 1 (acute)
reaction mass of 5- chloro-2- methyl- 2H-isothiazol-3- one and 2-methyl- 2H-isothiazol-3- one (3:1)	55965-84-9	M-Factor: 100 (acute), 100 (chronic)

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of first aid measures

**General advice** Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

**Inhalation** Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

**Skin contact** Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed



4/11

# FOX SC325 4X5L BOT UA

Version 5 / EU

102000010777

Revision Date: 17.01.2019
Print Date: 05.02.2019

**Treat symptomatically.** In case of ingestion gastric lavage should be

considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

**SECTION 5: FIREFIGHTING MEASURES** 

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

**Unsuitable** High volume water jet

5.2 Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Carbon

dioxide (CO2), Sulphur oxides, Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Wear self-

contained breathing apparatus and protective suit.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

### **SECTION 7: HANDLING AND STORAGE**

# 7.1 Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.



5/11

# FOX SC325 4X5L BOT UA

Version 5/EU Revision Date: 17.01.2019 102000010777 Print Date: 05.02.2019

Advice on protection against fire and explosion No special precautions required.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized

persons only. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene) 7.3 Specific end use(s) Refer to the label and/or leaflet.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Trifloxystrobin	141517-21-7	2,7 mg/m3 (SK-SEN)		OES BCS*
Prothioconazole	178928-70-6	1,4 mg/m3 (SK-ABS)		OES BCS*

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### 8.2 Exposure controls

### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection is not required under anticipated Respiratory protection

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet. Nitrile rubber Material Rate of permeability > 480 min



6/11

# FOX SC325 4X5L BOT UA

Version 5 / EU

102000010777

Revision Date: 17.01.2019
Print Date: 05.02.2019

Glove thickness > 0,4 mm Protective index Class 6

Directive Protective gloves complying with EN

374.

**Eye protection** Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection** Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

**General protective measures** If product is handled while not enclosed, and if contact may occur:

Complete suit protecting against chemicals

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

Form suspension

Colour white to beige

**Odour** weak, characteristic

**pH** 5,5 - 7,0 (100 %) (23 °C)

Flash point >100 °C

No flash point - Determination conducted up to the boiling point.

Ignition temperature 385 °C

**Density** ca. 1,10 g/cm³ ( 20 °C)

Water solubility dispersible

Partition coefficient: n-

octanol/water

Trifloxystrobin: log Pow: 4,5 (25 °C)

Prothioconazole: log Pow: 3,82 (20 °C) (pH 7)

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

**9.2 Other information** Further safety related physical-chemical data are not known.

#### **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.



7/11

# FOX SC325 4X5L BOT UA

Version 5 / EU

102000010777

Revision Date: 17.01.2019
Print Date: 05.02.2019

**10.3 Possibility of**No hazardous reactions when stored and handled according to

**hazardous reactions** prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

**10.6 Hazardous** No decomposition products expected under normal conditions of use.

decomposition products

### **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) >= 5.000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 2,189 mg/l

Exposure time: 4 h

Highest attainable concentration.

Acute dermal toxicity LD50 (Rat) > 4.000 mg/kg Skin corrosion/irritation No skin irritation (Rabbit)

Serious eye damage/eye Slight irritant ef

irritation

Slight irritant effect - does not require labelling. (Rabbit)

**Respiratory or skin** Skin: Sensitising (Guinea pig)

sensitisation OECD Test Guideline 406, Magnusson & Kligman test

#### Assessment STOT Specific target organ toxicity - single exposure

Trifloxystrobin: Based on available data, the classification criteria are not met. Prothioconazole: Based on available data, the classification criteria are not met.

# Assessment STOT Specific target organ toxicity - repeated exposure

Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies. Prothioconazole did not cause specific target organ toxicity in experimental animal studies.

#### Assessment mutagenicity

Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

## **Assessment carcinogenicity**

Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice. Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

### Assessment toxicity to reproduction

Trifloxystrobin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Trifloxystrobin is related to parental toxicity.

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.



8/11

# FOX SC325 4X5L BOT UA

Version 5 / EU

102000010777

Revision Date: 17.01.2019
Print Date: 05.02.2019

#### Assessment developmental toxicity

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Further information**

No further toxicological information is available.

### **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 0,125 mg/l

Exposure time: 96 h

Toxicity to aquatic

**invertebrates** Exposure time: 48 h

Σχροσαίο πίπο. Το Τί

Toxicity to aquatic plants IC50 (Raphidocelis subcapitata (freshwater green alga)) 0,68 mg/l

Growth rate; Exposure time: 72 h

EC50 (Skeletonema costatum) 0,046 mg/l

EC50 (Daphnia magna (Water flea)) 0,126 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

NOEC (Skeletonema costatum) 0,0073 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

# 12.2 Persistence and degradability

**Biodegradability** Trifloxystrobin:

Not rapidly biodegradable

Prothioconazole:

Not rapidly biodegradable

**Koc** Trifloxystrobin: Koc: 2377

Prothioconazole: Koc: 1765

### 12.3 Bioaccumulative potential

Bioaccumulation Trifloxystrobin: Bioconcentration factor (BCF) 431

Does not bioaccumulate.

Prothioconazole: Bioconcentration factor (BCF) 19

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Trifloxystrobin: Slightly mobile in soils

Prothioconazole: Slightly mobile in soils

## 12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Trifloxystrobin: This substance is not considered to be persistent,



9/11

# FOX SC325 4X5L BOT UA

Version 5 / EU

102000010777

Revision Date: 17.01.2019
Print Date: 05.02.2019

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

**Product** In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

**Contaminated packaging** Triple rinse containers.

Do not re-use empty containers.

Not completely emptied packagings should be disposed of as

hazardous waste.

Waste key for the unused

product

02 01 08\* agrochemical waste containing hazardous substances

### **SECTION 14: TRANSPORT INFORMATION**

# ADR/RID/ADN

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRIFLOXYSTROBIN, PROTHIOCONAZOLE SOLUTION)

14.3 Transport hazard class(es)
14.4 Packaging Group
14.5 Environm. Hazardous Mark
Hazard no.
90

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

#### **IMDG**

14.1 UN number **3082** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRIFLOXYSTROBIN, PROTHIOCONAZOLE SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Marine pollutant YES

IATA

14.1 UN number 3082



10/11

# FOX SC325 4X5L BOT UA

Version 5 / EU

102000010777

Revision Date: 17.01.2019
Print Date: 05.02.2019

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRIFLOXYSTROBIN, PROTHIOCONAZOLE SOLUTION)

14.3 Transport hazard class(es)
14.4 Packaging Group
14.5 Environm. Hazardous Mark
YES

# 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

# **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Further information**

H301

WHO-classification: III (Slightly hazardous)

### 15.2 Chemical safety assessment

A chemical safety assessment is not required.

### **SECTION 16: OTHER INFORMATION**

### Text of the hazard statements mentioned in Section 3

Toxic if swallowed.

H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number ECx Effective concentration to x %



11/11

# FOX SC325 4X5L BOT UA

Version 5 / EU

102000010777

Revision Date: 17.01.2019
Print Date: 05.02.2019

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

**IC**x

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

TWA Time weighted average

UN United Nations

WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

**Reason for Revision:** The following sections have been revised: Section 3: Composition /

Information on Ingredients.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.