

1/10

# **GAUCHO FS600 12X1L BOT UA**

Version 7 / Revision Date: 17.10.2017 102000006405 Print Date: 09.08.2018

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name GAUCHO FS600 12X1L BOT UA

Product code (UVP) 00815128

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide, Seed treatment

1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer AG

Kaiser-Wilhelm-Allee 1 51373 Leverkusen

Germany

**Telefax** +49(0)2173-38-7394

Responsible Department Substance Classification & Registration

+49(0)2173-38-3409 (during business hours only)

Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

**Emergency telephone no.** Global Incident Response Hotline (24h)

+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 4

H302 Harmful if swallowed.

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

# Hazardous components which must be listed on the label:

- Imidacloprid
- Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one



2/10

# **GAUCHO FS600 12X1L BOT UA**

Version 7 / Revision Date: 17.10.2017 102000006405 Print Date: 09.08.2018



# Signal word: Warning

### **Hazard statements**

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

### **Precautionary statements**

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P501 Dispose of contents/container in accordance with local regulation.

#### 2.3 Other hazards

No other hazards known.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.2 Mixtures

### **Chemical nature**

Flowable concentrate for seed treatment (FS) Imidacloprid 600 g/I

### **Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification REGULATION (EC) No 1272/2008	Conc. [%]
Imidacloprid	138261-41-3 428-040-8	Acute Tox. 4, H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	48
Mixture of: 5-chloro-2- methyl-4-isothiazolin-3- one and 2-methyl-4- isothiazolin-3-one	55965-84-9	Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0,0002 - < 0,0015
Glycerine	56-81-5 200-289-5	Not classified	> 1

### **Further information**

	Imidacloprid	138261-41-3	M-Factor: 10 (acute), 10 (chronic)
--	--------------	-------------	------------------------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.



3/10

# **GAUCHO FS600 12X1L BOT UA**

Version 7/ Revision Date: 17.10.2017 102000006405 Print Date: 09.08.2018

#### **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

> least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** If large amounts are ingested, the following symptoms may occur:

Dizziness, Abdominal pain, Nausea

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** Treat symptomatically. Monitor: respiratory and cardiac functions. In

> case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always

advisable. There is no specific antidote.

### **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

5.2 Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCI), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO),

Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

Contain the spread of the fire-fighting media. Do not allow run-off from **Further information** 

fire fighting to enter drains or water courses.



4/10

# **GAUCHO FS600 12X1L BOT UA**

Version 7 / Revision Date: 17.10.2017 102000006405 Print Date: 09.08.2018

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up**Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized

persons only. Keep away from direct sunlight.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)7.3 Specific end use(s) Refer to the label and/or leaflet.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0,7 mg/m3		OES BCS*
		(TWA)		

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### 8.2 Exposure controls



5/10

# **GAUCHO FS600 12X1L BOT UA**

Version 7 / Revision Date: 17.10.2017 102000006405 Print Date: 09.08.2018

### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

**Hand protection** Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Week hands frequently and always before acting

be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0,4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

**Eye protection** Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection** Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

**General protective measures** If product is handled while not enclosed, and if contact may occur:

Complete suit protecting against chemicals

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

Form suspension

**Colour** red

Odour weak, characteristic

**pH** 5,0 - 8,0 at 100 % (23 °C) **Boiling point/boiling range** ca. 100 °C at 1.013 hPa

**Flash point** No flash point - Determination conducted up to the boiling point.



6/10

# **GAUCHO FS600 12X1L BOT UA**

Version 7 / Revision Date: 17.10.2017 102000006405 Print Date: 09.08.2018

Auto-ignition temperature 365 °C

**Density** ca. 1,25 g/cm³ at 20 °C

Water solubility miscible

Partition coefficient: n-

octanol/water

Imidacloprid: log Pow: 0,57

Oxidizing properties No oxidizing properties

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

**9.2 Other information** Further safety related physical-chemical data are not known.

### **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of**No hazardous reactions when stored and handled according to

**hazardous reactions** prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 300 - < 2.000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 1,86 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol.

Highest attainable concentration.

Acute dermal toxicityLD50 (Rat) > 4.000 mg/kgSkin irritationNo skin irritation (Rabbit)Eye irritationNo eye irritation (Rabbit)SensitisationSensitising (Guinea pig)

OECD Test Guideline 406, Buehler test

# Assessment STOT Specific target organ toxicity – single exposure

Imidacloprid: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure



7/10

# **GAUCHO FS600 12X1L BOT UA**

Version 7 / Revision Date: 17.10.2017 102000006405 Print Date: 09.08.2018

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

# **Assessment mutagenicity**

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

#### Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

### Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 85 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient imidacloprid.

EC50 (Chironomus riparius (non-biting midge)) 0,0552 mg/l

Exposure time: 24 h

The value mentioned relates to the active ingredient imidacloprid.

Chronic toxicity to aquatic

invertebrates

EC10 (Chironomus riparius (non-biting midge)): 2,09 μg/l

Exposure time: 28 d

The value mentioned relates to the active ingredient imidacloprid.

**Toxicity to aquatic plants** IC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient imidacloprid.

12.2 Persistence and degradability

Biodegradability Imidacloprid:

Not rapidly biodegradable

Koc Imidacloprid: Koc: 225

12.3 Bioaccumulative potential

**Bioaccumulation** Imidacloprid:

Does not bioaccumulate.



8/10

# **GAUCHO FS600 12X1L BOT UA**

Version 7 / Revision Date: 17.10.2017 102000006405 Print Date: 09.08.2018

12.4 Mobility in soil

Mobility in soil Imidacloprid: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Imidacloprid: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

**Product** In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging 
Not completely emptied packagings should be disposed of as

hazardous waste.

Waste key for the unused

product

02 01 08\* agrochemical waste containing hazardous substances

# **SECTION 14: TRANSPORT INFORMATION**

#### ADR/RID/ADN

14.1 UN number **3082** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

Ш

(IMIDACLOPRID SOLUTION)

14.3 Transport hazard class(es) 9

14.4 Packing group

14.5 Environm. Hazardous MarkHazard no.YES90

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

### **IMDG**

14.1 UN number **3082** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(IMIDACLOPRID SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Marine pollutant YES

**IATA** 

14.1 UN number **3082** 



9/10

# **GAUCHO FS600 12X1L BOT UA**

Version 7/ Revision Date: 17.10.2017 102000006405 Print Date: 09.08.2018

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, 14.2 Proper shipping name

N.O.S.

(IMIDACLOPRID SOLUTION)

14.3 Transport hazard class(es) q 14.4 Packing group Ш 14.5 Environm. Hazardous Mark YES

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

### **SECTION 15: REGULATORY INFORMATION**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Further information**

WHO-classification: II (Moderately hazardous)

# 15.2 Chemical safety assessment

A chemical safety assessment is not required.

#### **SECTION 16: OTHER INFORMATION**

#### Text of the hazard statements mentioned in Section 3

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skir
H314	Causes severe skin burn

ns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. H410

#### Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

**Inland Waterways** 

ADR European Agreement concerning the International Carriage of Dangerous Goods by

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

**EINECS** European inventory of existing commercial substances

European list of notified chemical substances **ELINCS** 

European Standard ΕN **European Union** ΕU



10/10

# **GAUCHO FS600 12X1L BOT UA**

Version 7 / Revision Date: 17.10.2017 102000006405 Print Date: 09.08.2018

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code)

ICx Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

TWA Time weighted average

UN United Nations

WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.