

1/11

LUNA SENSATION SC500 12X1L BOT UA

Version 5 / Revision Date: 29.03.2017 102000012886 Print Date: 14.11.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name LUNA SENSATION SC500 12X1L BOT UA

Product code (UVP) 84469882

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG

Kaiser-Wilhelm-Allee 1 51373 Leverkusen

Germany

Telefax +49(0)2173-38-7394

Responsible Department Substance Classification & Registration

+49(0)2173-38-3409 (during business hours only)

Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. Global Incident Response Hotline (24h)

+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 4

H302 Harmful if swallowed.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Fluopyram
- Trifloxystrobin



2/11

LUNA SENSATION SC500 12X1L BOT UA

Version 5 / Revision Date: 29.03.2017 102000012886 Print Date: 14.11.2017





Signal word: Warning

Hazard statements

H302 Harmful if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

EUH208 Contains Trifloxystrobin, 1,2-benzisothiazolin-3-one, 5-chloro-2-methyl-4-isothiazolin-3-

one and 2-methyl-4-isothiazolin-3-one. May produce an allergic reaction.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Suspension concentrate (=flowable concentrate)(SC) Fluopyram/Trifloxystrobin 250:250 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]	
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008		
Fluopyram	658066-35-4 619-797-7	Aquatic Chronic 2, H411	21,37	
Trifloxystrobin	141517-21-7	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	21,37	
1,2-Benzisothiazol-3(2H)- one	2634-33-5 220-120-9	Skin Sens. 1, H317 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400	> 0,005 - < 0,05	
Mixture of: 5-chloro-2- methyl-4-isothiazolin-3- one and 2-methyl-4- isothiazolin-3-one	55965-84-9	Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400	Acute Tox. 3, H311 0,0015 Acute Tox. 3, H301 Skin Corr. 1B, H314 Skin Sens. 1, H317	



3/11

LUNA SENSATION SC500 12X1L BOT UA

Version 5 / Revision Date: 29.03.2017 102000012886 Print Date: 14.11.2017

Aquatic Chronic 1, H410

Further information

Trifloxystrobin 141517-21-7 M-Factor: 100 (acute)

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. In case of ingestion gastric lavage should be

considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium

sulphate is always advisable. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet



4/11

LUNA SENSATION SC500 12X1L BOT UA

Version 5 / Revision Date: 29.03.2017 102000012886 Print Date: 14.11.2017

5.2 Special hazards arising from the substance or mixture

In the event of fire the following may be released:, Hydrogen chloride (HCI), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further informationContain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning upSoak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Suitable materials

HDPE (high density polyethylene)



5/11

LUNA SENSATION SC500 12X1L BOT UA

Version 5 / Revision Date: 29.03.2017 102000012886 Print Date: 14.11.2017

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Fluopyram	658066-35-4	0,34 mg/m3 (TWA)		OES BCS*
Trifloxystrobin	141517-21-7	2,7 mg/m3 (SK-SEN)		OES BCS*

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

MaterialNitrile rubberRate of permeability> 480 minGlove thickness> 0,4 mmProtective indexClass 6

Directive Protective gloves complying with EN

374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly

contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.



6/11

LUNA SENSATION SC500 12X1L BOT UA

Version 5 / Revision Date: 29.03.2017 102000012886 Print Date: 14.11.2017

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form suspension

Colour white to beige

Odour characteristic

Odour Threshold No data available

pH 5,0 - 8,0 at 100 % (23 °C)

Flash point $> 100 \,^{\circ}\text{C}$ Ignition temperature 380 $^{\circ}\text{C}$

Minimum ignition energyNot applicableUpper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data available

Density ca. 1,17 g/cm³ at 20 °C

Water solubility suspensive
Partition coefficient: noctanol/water

suspensive
Not applicable

Partition coefficient: n-

octanol/water

Fluopyram: log Pow: 3,3

Trifloxystrobin: log Pow: 4,5 at 25 °C

Surface tension 38 mN/m at 25 °C

Determined in the undiluted form.

Oxidizing properties No oxidizing properties

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of No hazardous reactions when stored and handled according to

hazardous reactions prescribed instructions.



7/11

LUNA SENSATION SC500 12X1L BOT UA

Version 5 / Revision Date: 29.03.2017 102000012886 Print Date: 14.11.2017

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) 2.000 mg/kg
Acute inhalation toxicity LC50 (Rat) > 1,7 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Highest attainable concentration.

No deaths

Acute dermal toxicityLD50 (Rat) > 2.000 mg/kgSkin irritationNo skin irritation (Rabbit)Eye irritationNo eye irritation (Rabbit)SensitisationNon-sensitizing. (Mouse)

OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity - single exposure

Fluopyram: Based on available data, the classification criteria are not met.

Trifloxystrobin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Fluopyram did not cause specific target organ toxicity in experimental animal studies. Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Fluopyram was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Fluopyram caused at high dose levels an increased incidence of tumours in rats in the following organ(s): Liver.

Fluopyram caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Thyroid.

The tumours seen with Fluopyram were caused through a non-genotoxic mechanism, which is not relevant at low doses. The mechanism that triggers these tumours is not relevant to humans. Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Fluopyram caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fluopyram is related to parental toxicity. Trifloxystrobin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Trifloxystrobin is related to parental



8/11

LUNA SENSATION SC500 12X1L BOT UA

Version 5 / Revision Date: 29.03.2017 102000012886 Print Date: 14.11.2017

toxicity.

Assessment developmental toxicity

Fluopyram caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Fluopyram are related to maternal toxicity.

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0,091 mg/l

Exposure time: 96 h

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 0,086 mg/l

invertebrates

Exposure time: 48 h

Toxicity to aquatic plants IC50 (Raphidocelis subcapitata (freshwater green alga)) 0,292 mg/l

Growth rate; Exposure time: 72 h

12.2 Persistence and degradability

Biodegradability Fluopyram:

Not rapidly biodegradable

Trifloxystrobin:

Not rapidly biodegradable

Koc Fluopyram: Koc: 279

Trifloxystrobin: Koc: 2377

12.3 Bioaccumulative potential

Bioaccumulation Fluopyram: Bioconcentration factor (BCF) 18

Does not bioaccumulate.

Trifloxystrobin: Bioconcentration factor (BCF) 431

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Fluopyram: Moderately mobile in soils

Trifloxystrobin: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Fluopyram: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Trifloxystrobin: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological

information

No other effects to be mentioned.



9/11

LUNA SENSATION SC500 12X1L BOT UA

Version 5 / Revision Date: 29.03.2017 102000012886 Print Date: 14.11.2017

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging Not completely emptied packagings should be disposed of as

hazardous waste.

Waste key for the unused

product

02 01 08* agrochemical waste containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRIFLOXYSTROBIN SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environm. Hazardous Mark YES
Hazard no. 90
Tunnel Code E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRIFLOXYSTROBIN SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Marine pollutant YES

IATA

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRIFLOXYSTROBIN SOLUTION)

14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environm. Hazardous Mark
YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.



10/11

LUNA SENSATION SC500 12X1L BOT UA

Version 5 / Revision Date: 29.03.2017 102000012886 Print Date: 14.11.2017

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

Toxic if swallowed. H301 H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. May cause an allergic skin reaction. H317 Causes serious eye damage. H318 H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects. **Abbreviations and acronyms**

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code)
Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

ICx



11/11

LUNA SENSATION SC500 12X1L BOT UA

Version 5 / Revision Date: 29.03.2017 102000012886 Print Date: 14.11.2017

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

TWA Time weighted average

UN United Nations

WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.